





CONFERENCE

Setting a design standard.

CONFERENCE – as versatile as you need.




The dimensions of the cut-out are included in the frame packaging materials. They are also available by e-mail or can be downloaded from www.bachmann.com

Simple built-in frame fitting

The built-in frame is very easy to install – only standard tools are required. Simply make a right-angled cut-out in the top of your desk or table.

Built-in frame for underneath a desk or table

Conference under-table mounting frames (frameless) are fitted from the underside of the tabletop. Thus only the pivoting flaps are visible on the tabletop. The drawings containing the special details of the table cut-out are supplied with the unit or can be downloaded from www.bachmann.com. If required, the flaps can be removed from the frame by means of the integrated bayonet catch. A suitable veneer to match the finish of the tabletop can then also be glued to the flaps (not processed ex works).



Power strip simply clicks into place

The power strip is not supplied with the built-in frame and must be ordered separately. It simply clicks into the built-in frame (tools are not required). Since the power strip can be interchanged at any time, the user is guaranteed long-term flexibility and can be sure that the products purchased are fit for the future.

Built in frame

CONFERENCE built-in frame

- Chamfered side panels, can be flush-mounted on desk or table surface
- Incl. quick-change mechanism for swapping power strips
- Incl. fixing claws and fitting instructions with cut-out dimensions

Art. no. | Version

CONFERENCE built-in frame, long **Moonstone metallic**
 338.0200 | · Outer dimensions: 467 x 183 mm, built-in dimensions: 452 x 170 mm, built-in depth: 110 mm

CONFERENCE built-in frame, short **Moonstone metallic**
 338.0201 | · Outer dimensions: 286 x 183 mm, built-in dimensions: 271 x 170 mm, built-in depth: 110 mm

CONFERENCE built-in frame, long **RAL9006, silver-grey**
 338.0221 | · Outer dimensions: 467 x 183 mm, built-in dimensions: 452 x 170 mm, built-in depth: 110 mm

CONFERENCE built-in frame, short **RAL9006, silver-grey**
 338.0219 | · Outer dimensions: 286 x 183 mm, built-in dimensions: 271 x 170 mm, built-in depth: 110 mm

CONFERENCE built-in frame, long **Chrome effect paint finish**
 338.0212 | · Outer dimensions: 467 x 183 mm, built-in dimensions: 455 x 170 mm, built-in depth: 110 mm

CONFERENCE built-in frame, short **Chrome effect paint finish**
 338.0210 | · Outer dimensions: 285 x 183 mm, built-in dimensions: 273 x 170 mm, built-in depth: 110 mm



CONFERENCE built-in frame for underneath a desk or table

Art. no. | Version

CONFERENCE built-in frame for underneath a desk or table, long **RAL9006, silver-grey**
 338.0230 | · Dimensions (visible surface): approx. 448 x 135 mm, built-in depth: approx. 107 mm

CONFERENCE built-in frame for underneath a desk or table, short **RAL9006, silver-grey**
 338.0231 | · Dimensions (visible surface): approx. 267 x 135 mm, built-in depth: approx. 107 mm



You will find power strips suitable for Slide, Conference and Top Frame on page 14